



KD Panels 2026

- ☒ KD Panels 120 items
- ☐ ECO+ Laminates 210 items
- ☐ SPC Flooring 12 items
- ☐ TRUE+ Panels 120 items





▶ K6101BE Maple-Fig.M.M. 3.1mm



▶ K6101PE Maple-Fig.M.M. 3.1mm



▶ K6101QE Maple-Fig.M.M. 3.1mm



▶ K6101RE Maple-Fig.M.M. 3.1mm



▶ K6118AS Teak-M.M. 3mm



▶ K6118BS Teak-M.M. 3mm



▶ K6121AS Walnut-M.M. 3mm



▶ K6121BS Walnut-M.M. 3mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6124BN Ako-Q.M. 3.5mm



▶ K6124QN Ako-Q.M. 3.5mm



▶ K6156DN Zebrawood-Q.M. 3.2mm



▶ K6157FN Limba-Q.M. 3.2mm



▶ K6157GN Limba-Q.M. 3.2mm



▶ K6169AS Paulownia-M.M. 3.6mm



▶ K6169BS Paulownia-M.M. 3.6mm



▶ K6169ES Paulownia-M.M. 3.6mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6169FS Paulownia-M.M. 3.6mm



▶ K6169HS Paulownia-M.M. 3.6mm



▶ K6169LS Paulownia-M.M. 3.6mm



▶ K6176AS Elm-M.M. 3.2mm
(10' Available)



▶ K6176BS Elm-M.M. 3.2mm



▶ K6176CS Elm-M.M. 3.2mm




▶ K6176DS Elm-M.M. 3.2mm



▶ K6176ES Elm-M.M. 3.2mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6176GS Elm-M.M. 3.2mm



▶ K6176HS Elm-M.M. 3.2mm




▶ K6176JS Elm-M.M. 3.2mm



▶ K6176KS Elm-M.M. 3.2mm




▶ K6176LS Elm-M.M. 3.2mm



Coming soon

▶ K6176MS Elm-M.M. 3.2mm



Coming soon

▶ K6176NS Elm-M.M. 3.2mm



▶ K6176PS Elm-M.M. 3.2mm




▶ K6176QS Elm-M.M. 3.2mm



▶ K6176RS Elm-M.M. 3.2mm



▶ K6178BN W. Ash-Q.M. 3.2mm



▶ K6178CN W. Ash-Q.M. 3.2mm



▶ K6178HN W. Ash-Q.M. 3.2mm



▶ K6178PN W. Ash-Q.M. 3.2mm



▶ K6178QN W. Ash-Q.M. 3.2mm



▶ K6178SN W. Ash-Q.M. 3.2mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6179BS Red Elm-M.M. 3.2mm



▶ K6179CS Red Elm-M.M. 3.2mm



▶ K6179DS Red Elm-M.M. 3.2mm



▶ K6179FS Red Elm-M.M. 3.2mm



▶ K6179GS Red Elm-M.M. 3.2mm



▶ K6181AN Walnut-Q.M. 3.2mm
(10' Available)



▶ K6181BS Walnut-M.M. 3.2mm
(10' Available)



▶ K6181CS Walnut-M.M. 3.2mm
(10' Available)


KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6181DS Walnut-M.M. 3.2mm



▶ K6181FS Walnut-M.M. 3.2mm



▶ K6182BN Golden Teak-Q.M. 3.2mm



▶ K6182CN Golden Teak-Q.M. 3.2mm



▶ K6186AN Teak-Q.M. 3.2mm



▶ K6186BS Teak-M.M. 3.2mm



▶ K6186CS Teak-M.M. 3.2mm



▶ K6186GS Teak-M.M. 3.2mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6187AN W. Oak-Q.M. 3.2mm
(10' Available)



▶ K6187BS W. Oak-M.M. 3.2mm



▶ K6187CS W. Oak-M.M. 3.2mm



▶ K6187ES W. Oak-M.M. 3.2mm




▶ K6187FS W. Oak-M.M. 3.2mm



▶ K6187GS W. Oak-M.M. 3.2mm



▶ K6187HS W. Oak-M.M. 3.2mm



▶ K6187MS W. Oak-M.M. 3.2mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6187PN W. Oak-Q.M. 3.2mm



▶ K6187QN W. Oak-Q.M. 3.2mm



▶ K6187TN W. Oak-Q.M. 3.2mm



▶ K6193DN Limba-Q.M. 3.2mm



▶ K6196BN Cypress-Q.M. 3.4mm



▶ K6196CN Cypress-Q.M. 3.4mm



▶ K6196DN Cypress-Q.M. 3.4mm



▶ K6196GN Cypress-Q.M. 3.4mm


KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6196JN Cypress-Q.M. 3.4mm



▶ K6196KN Cypress-Q.M. 3.4mm



▶ K6196LN Cypress-Q.M. 3.4mm



▶ K6197AS Ash-M.M. 3.2mm



► K6197CS Ash-M.M. 3.2mm



► K6197DS Ash-M.M. 3.2mm



► K6481BS Walnut-M.M. 3.5mm



► K6587DS W. Oak-M.M. 3.5mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6587ES W. Oak-M.M. 3.5mm



▶ K6587FS W. Oak-M.M. 3.5mm



▶ K6201 White Oak 3mm



▶ K6204 White Oak 3mm



▶ K6213 Walnut 3mm



▶ K6224 Vine 3mm



▶ K6225 White Oak 3mm



▶ K6232B Zebrawood 3mm



▶ K6236 Dyed Oak 3mm




▶ K6236AB Dyed Oak-W.B. 3.3mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6237M Dyed Oak-C.C. 3mm




▶ K6248 Teak 3mm



▶ K6250 Midori 3mm



▶ K6251 Walnut 3mm



▶ K6252 Walnut 3mm



▶ K6262 Ebony 3mm



▶ K6302 White Oak 3mm



▶ K6307 Poplar 3mm


KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6308 White Oak 3mm



▶ K6309AB Dyed Oak-W.B. 3.3mm



▶ K6315 Walnut 3mm



▶ K6316 Walnut 3mm



▶ K6331 Poplar 3mm



▶ K6333 Poplar 3mm



▶ K6334 Poplar 3mm



▶ K6335 Poplar 3mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6342 Silver Silk 3mm



▶ K6343 Slate 3mm



▶ K6343AB Slate-W.B. 3mm



▶ K6343AD Slate 3mm



▶ K6349 Poplar 3mm



▶ K6350 Poplar 3mm



▶ K6350AD Poplar 3mm



▶ K6352 Poplar 3mm

KD Panels use top-grade Malaysian F1-Plywood to achieve the lowest formaldehyde emissions in the market.



▶ K6353 Poplar 3mm




▶ K6354 Poplar 3mm



▶ K6356 Poplar 3mm



▶ K6357 Poplar 3mm



▶ K6358 Poplar 3mm



▶ K6359 Poplar 3mm